



Hy-Line



**Higher profitability
due to:**

- **Greater Feed Efficiency**
- **Excellent Livability**
- **Calm Temperament**

Hy-Line[®]

BROWN

ALTERNATIVE SYSTEMS

Performance Summary

REARING PERIOD (TO 17 WEEKS):

Livability	98%
Feed Consumed	6.06–6.43 kg
Body Weight at 17 Weeks	1.40–1.44 kg

LAYING PERIOD (TO 90 WEEKS):

Percent Peak	95–96%
Hen-Day Eggs to 60 Weeks	257–266
Hen-Day Eggs to 72 Weeks	325–336
Hen-Day Eggs to 90 Weeks	419–432
Hen-Housed Eggs to 60 Weeks	253–262
Hen-Housed Eggs to 72 Weeks	319–330
Hen-Housed Eggs to 90 Weeks	408–421
Livability to 60 Weeks	97%
Livability to 80 Weeks	95%
Livability to 90 Weeks	93%
Days to 50% Production (from hatch)	140 days
Average Egg Weight at 26 Weeks	57.3–59.7 g/egg
Average Egg Weight at 32 Weeks	60.1–62.5 g/egg
Average Egg Weight at 72 Weeks	63.0–65.6 g/egg
Total Egg Mass per Hen-Housed (18–90 weeks)	25.5 kg
Body Weight at 32 Weeks	1.85–1.97 kg
Body Weight at 72 Weeks	1.91–2.03 kg
Freedom From Egg Inclusions	Excellent
Shell Strength	Excellent
Shell Color at 38 Weeks	87
Shell Color at 56 Weeks	85
Shell Color at 72 Weeks	81
Shell Color at 90 Weeks	79
Haugh Units at 38 Weeks	90.0
Haugh Units at 56 Weeks	84.0
Haugh Units at 72 Weeks	81.0
Haugh Units at 90 Weeks	79.7
Average Daily Feed Consumption (18–90 weeks)	105–116 g/day per bird
Feed Conversion Rate, kg Feed/kg Eggs (20–60 weeks)	1.96–2.17
Feed Conversion Rate, kg Feed/kg Eggs (20–72 weeks)	1.98–2.20
Feed Conversion Rate, kg Feed/kg Eggs (20–90 weeks)	2.07–2.28
Feed Utilization, kg Egg/kg Feed (20–60 weeks)	0.46–0.51
Feed Utilization, kg Egg/kg Feed (20–72 weeks)	0.45–0.50
Feed Utilization, kg Egg/kg Feed (20–90 weeks)	0.44–0.48
Feed per Dozen Eggs (20–60 weeks)	1.42–1.51 kg
Feed per Dozen Eggs (20–90 weeks)	1.51–1.62 kg
Skin Color	Yellow
Condition of Droppings	Dry



Hy-Line International
 PO Box 310 , Dallas Center, IA 50063 U.S.A.
www.hyline.com

