

Hy-Line[®]

BROWN MAX PRO



- Robust layer
- High peaks, excellent persistency
- Excellent nesting behavior
- **Very dark brown** shell color and strong shells
- Superior feed efficiency



Performance Summary

GROWING PERIOD (TO 18 WEEKS):	
Livability	98%
Feed Consumed	6.04 kg
Body Weight at 18 Weeks	1433–1515 g
LAYING PERIOD (TO 100 WEEKS):	
Percent Peak	95.1–98.6%
Hen-Day Eggs to 60 Weeks	263.0–274.6
Hen-Day Eggs to 100 Weeks	487.1–514.4
Hen-Housed Eggs to 60 Weeks	259.4–270.9
Hen-Housed Eggs to 100 Weeks	471.2–497.4
Livability to 60 Weeks	97.18%
Livability to 100 Weeks	90.79%
Days to 50% Production (from hatch)	139
Egg Weight at 26 Weeks	55.4–58.8 g
Egg Weight at 32 Weeks	59.1–62.8 g
Egg Weight at 72 Weeks	61.6–65.4 g
Egg Weight at 100 Weeks	62.9–66.7 g
Total Egg Mass per Hen-Housed (18–80 weeks)	23.5 kg
Total Egg Mass per Hen-Housed (18–100 weeks)	30.1 kg
Body Weight at 32 Weeks	1902–2011 g
Body Weight at 72 Weeks	1993–2107 g
Freedom From Egg Inclusions	Excellent
Shell Strength	Excellent
Average Daily Feed Consumption (19–100 weeks)	110–118 g/day/bird
Feed Conversion Rate, kg Feed/kg Eggs (18–60 weeks)	2.06–2.14
Feed Conversion Rate, kg Feed/kg Eggs (18–100 weeks)	2.15–2.23
Feed Utilization, kg Egg/kg Feed (18–60 weeks)	0.47–0.49
Feed Utilization, kg Egg/kg Feed (18–100 weeks)	0.45–0.47
Feed Consumption per 10 Eggs (18–60 weeks)	1.23–1.28 kg
Feed Consumption per 10 Eggs (18–100 weeks)	1.29–1.34 kg
Skin Color	Yellow
Condition of Droppings	Dry

