


Hy-Line®

BROWN MAX PRO

COMMERCIAL LAYERS ALTERNATIVE SYSTEMS

- Robust layer
- High peaks, excellent persistency
- Excellent nesting behavior
- Very dark brown shell color and strong shells
- Superior feed efficiency



Hy-Line®

Performance Summary

REARING PERIOD (TO 17 WEEKS):

Livability	97.63%
Feed Consumed	6.57 kg
Body Weight at 17 Weeks	1384–1449 g

LAYING PERIOD (TO 100 WEEKS):

Percent Peak	94.1–97.9%
Hen-Day Eggs to 60 Weeks	261.4–273.6
Hen-Day Eggs to 100 Weeks	487.1–510.3
Hen-Housed Eggs to 60 Weeks	256.8–268.8
Hen-Housed Eggs to 100 Weeks	468.1–490.3
Livability to 60 Weeks	96.7%
Livability to 80 Weeks	93.8%
Livability to 100 Weeks	89.2%
Days to 50% Production (from hatch)	140
Egg Weight at 26 Weeks	54.0–56.5 g
Egg Weight at 32 Weeks	58.2–61.0 g
Egg Weight at 70 Weeks	61.0–63.9 g
Egg Weight at 100 Weeks	61.6–64.7 g
Total Egg Mass per Hen-Housed (18–80 weeks)	23.8 kg
Total Egg Mass per Hen-Housed (18–100 weeks)	30.3 kg
Body Weight at 26 Weeks	1847–1930 g
Body Weight at 32 Weeks	1917–1996 g
Body Weight at 70 Weeks	2022–2115 g
Body Weight at 100 Weeks	2059–2161 g
Freedom From Egg Inclusions	Excellent
Shell Strength	Excellent
Average Daily Feed Consumption (19–100 weeks)	115.5–122.7 g/bird/day
Feed Conversion Rate, kg Feed/kg Eggs (20–60 weeks)	2.12–2.21
Feed Conversion Rate, kg Feed/kg Eggs (20–100 weeks)	2.23–2.33
Feed Utilization, kg Egg/kg Feed (20–60 weeks)	0.45–0.47
Feed Utilization, kg Egg/kg Feed (20–100 weeks)	0.43–0.45
Feed Consumption per Dozen Eggs (20–60 weeks)	1.56–1.62 kg
Feed Consumption per Dozen Eggs (20–100 weeks)	1.63–1.69 kg
Skin Color	Yellow
Condition of Droppings	Dry

Hy-Line®

BROWN MAX PRO



Hy-Line®

Hy-Line International | www.hyline.com

Hy-Line is a brand name. ® Registered trademark of
Hy-Line International. © Copyright 2026 Hy-Line International.

HLBrownMax_Pro_CS_Alt_2026.05.27
BRN MAX PRO ALT PERF ENG 101926