



Hy-Line.



**Higher profitability
due to:**

- **Superior Egg
Production**
- **Excellent Livability**
- **Highest Tinted
Interior and Exterior
Egg Quality**

Hy-Line[®]

SONIA

Performance Summary

REARING PERIOD (TO 17 WEEKS):

Livability	98%
Feed Consumed	5.99–6.33 kg
Body Weight at 17 Weeks	1.46–1.48 kg

LAYING PERIOD (TO 90 WEEKS):

Percent Peak	95–97%
Hen-Day Eggs to 60 Weeks	256–263
Hen-Day Eggs to 90 Weeks	425–434
Hen-Housed Eggs to 60 Weeks	254–260
Hen-Housed Eggs to 90 Weeks	416–425
Livability to 60 Weeks	98%
Livability to 90 Weeks	94%
Days to 50% Production (from hatch)	143 days
Average Egg Weight at 26 Weeks	59.0–61.0 g/egg
Average Egg Weight at 32 Weeks	61.2–63.2 g/egg
Average Egg Weight at 70 Weeks	63.8–65.8 g/egg
Total Egg Mass per Hen-Housed (18–90 weeks)	26.6 kg
Body Weight at 32 Weeks	1.84–1.89 kg
Body Weight at 70 Weeks	2.01–2.06 kg
Freedom from Egg Inclusions	Excellent
Shell Strength	Excellent
Shell Color at 38 Weeks	52
Shell Color at 56 Weeks	48
Shell Color at 70 Weeks	46
Haugh Units at 38 Weeks	95
Haugh Units at 56 Weeks	87
Haugh Units at 70 Weeks	83
Average Daily Feed Consumption (18–90 weeks)	101–106 g/day per bird
Feed Conversion Rate, kg Feed/kg Eggs (20–60 weeks)	1.88–1.97
Feed Conversion Rate, kg Feed/kg Eggs (20–90 weeks)	1.88–1.99
Feed Utilization, kg Egg/kg Feed (20–60 weeks)	0.48–0.50
Feed Utilization, kg Egg/kg Feed (20–90 weeks)	0.47–0.48
Feed Consumption per Dozen Eggs (20–60 weeks)	1.42–1.45 kg
Feed Consumption per Dozen Eggs (20–90 weeks)	1.31–1.45 kg
Skin Color	Yellow
Condition of Droppings	Dry



Hy-Line International
 PO Box 310 , Dallas Center, IA 50063 U.S.A.
www.hyline.com

