



*Hy-Line*



**A robust layer that delivers:**

- **+2 g Egg Weight Profile  
Compared to W-80**
- **Prolific Egg Numbers**
- **Persistency of Lay for Long  
Single-Cycle Production**
- **Excellent Egg Shell Strength**
- **Strong Performance Under  
Challenging Environments or  
Low Density Feed Rations**
- **Adaptability to Alternative  
Production Systems**
- **Calm Disposition for Easy  
Management**

***Hy-Line***<sup>®</sup>

**W-80 PLUS**

### Performance Summary

#### REARING PERIOD (TO 17 WEEKS):

Livability	97%
Feed Consumed	5.12–5.66 kg
Body Weight at 17 Weeks	1.17–1.25 kg

#### LAYING PERIOD (TO 100 WEEKS):

Percent Peak	95–97%
Hen-Day Eggs to 60 Weeks	258.4–264.9
Hen-Day Eggs to 100 Weeks	473.7–491.5
Hen-Housed Eggs to 60 Weeks	252.1–258.5
Hen-Housed Eggs to 100 Weeks	456.2–473.2
Livability to 60 Weeks	96.5%
Livability to 100 Weeks	93.0%
Days to 50% Production (from hatch)	141
Egg Weight at 26 Weeks	57.0 g/egg
Egg Weight at 32 Weeks	60.0 g/egg
Egg Weight at 70 Weeks	66.0 g/egg
Egg Weight at 100 Weeks	67.2 g/egg
Total Egg Mass per Hen-Housed (18–100 weeks)	28.3–30.1 kg
Body Weight at 26 Weeks	1.52–1.61 kg
Body Weight at 32 Weeks	1.59–1.71 kg
Body Weight at 70 Weeks	1.62–1.74 kg
Body Weight at 100 Weeks	1.66–1.76 kg
Shell Strength	Excellent
Haugh Units at 38 Weeks	88.1
Haugh Units at 56 Weeks	85.6
Haugh Units at 70 Weeks	83.7
Haugh Units at 100 Weeks	80.0
Average Daily Feed Consumption (18–100 weeks)	101–108 g/day per bird
Feed Conversion Rate, kg Feed/kg Eggs (20–60 weeks)	1.91–2.06
Feed Conversion Rate, kg Feed/kg Eggs (20–100 weeks)	1.96–2.11
Feed Utilization, kg Egg/kg Feed (20–60 weeks)	0.49–0.53
Feed Utilization, kg Egg/kg Feed (20–100 weeks)	0.47–0.51
Feed per Dozen Eggs (20–60 weeks)	1.39–1.49 kg
Feed per Dozen Eggs (20–100 weeks)	1.49–1.60 kg
Condition of Droppings	Dry



Hy-Line International  
 PO Box 310 , Dallas Center, IA 50063 U.S.A.  
[www.hyline.com](http://www.hyline.com)

